

# Purpose Naturals 10mg CBD Gummies

FARM BILL  
COMPLIANT



**TOTAL  
CBD**

**12.30**  
MG PER SERVING

**TOTAL  
D9-THC**

**0.0451**  
MG PER SERVING

**TOTAL  
CANNABINOIDS**

**13.16**  
MG PER SERVING

SAMPLE ID  
**234641**

SAMPLE NAME  
**Purpose Naturals 10mg CBD Gummies**

MATRIX  
**Edible**

COLLECTED, RECEIVED  
**09/23/2020 17:12, 09/23/2020 17:12**

SERVING SIZE, SERVINGS PER PACKAGE  
**1 Gummy, 30**

MANUFACTURER INFO  
**Purpose Naturals  
N/A  
N/A, CA 92801**

 Indicates that the hemp product passes some of the strictest testing standards available for cannabis and hemp.



### CANNABINOID ANALYSIS

TOTAL THC: 0.2491 mg per serving (0.0451 mg/g) (0.0045 %), 7.47 mg per package  
 TOTAL CBD: 12.30 mg per serving (2.226 mg/g) (0.2226 %), 368.91 mg per package  
 TOTAL CANNABINOIDS: 13.16 mg per serving (2.381 mg/g) (0.2381 %)

UNIT OF MEASUREMENT: Milligrams per Gram(mg/g)

ANALYTE	RESULT	LOD	LLOQ	ANALYTE	RESULT	LOD	LLOQ
THCa	ND	0.0100	0.0250	CBDv	0.0461 mg/g (0.0046 %)	0.0100	0.0250
D9THC	0.0451 mg/g (0.0045 %)	0.0100	0.0250	CBGa	ND	0.0100	0.0250
D8THC	ND	0.0100	0.0250	CBG	0.0642 mg/g (0.0064 %)	0.0100	0.0250
THCv	ND	0.0100	0.0250	CBN	ND	0.0100	0.0250
CBDa	ND	0.0100	0.0250	CBC	ND	0.0100	0.0250
CBD	2.226 mg/g (0.2226 %)	0.0100	0.0250				

#### ADDITIONAL INFORMATION

Method: SOP-TECH-001  
 Instrument: UPLC-DAD

Sample Prepped: 09/24/2020 17:52  
 Sample Analyzed: 09/24/2020 17:53

Sample Approved: 09/25/2020 14:03  
 Prep-Analytical Batch: 21403-16420

This report applies to the sample investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. This report provides technical results for a specific sample and the report shall not be altered, modified, supplemented, or abstracted in any manner. Any violation of these conditions renders the report and its results void.

All LQC samples required by state regulations were performed and met the acceptance criteria.

**THIS COA WAS REVIEWED AND APPROVED ON 10/02/2020 IN ACCORDANCE WITH REGULATORY REQUIREMENTS**



Kathryn Riker  
 Quality Control Manager

